

Revision: 01.07.2021

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758 Smart Protection

Printing date 01.07.2021

Version number 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Nullifire SC801
- MSDS code: W-N-SC801
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Coating compound/ Surface coating/ paint

Fire retarding agent

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Tremco CPG UK Ltd

Coupland Road, Hindley Green, WIGAN, WN2 4HT

Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@cpg-europe.com

#### · Further information obtainable from:

Tremco CPG UK Ltd Torrington Avenue, Coventry, CV4 9TJ T: +44 (0) 2476855000, F: +44 (0) 2476469547 www.cpg-europe.com, protect@cpg-europe.com

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.cpg-europe.com, info.uk@cpg-europe.com

### · 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Repr. 2 H361f Suspected of damaging fertility.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758 Smart Protection

Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

(Contd. of page 1)

### · Hazard pictograms



· Signal word Warning

· Contains:

melamine

· Hazard statements

H361f Suspected of damaging fertility.

· Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

· Supplemental information:

EUH208 Contains CIT [EC 247-500-7]: MIT [EC 220-239-6] (3:1). May produce an allergic reaction.

- Regulation (EC) No 528/2012 on biocidal products Contains a biocidal product: C(M)IT/MIT (3:1)
- Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC

VOC 2004/42/CE & UK SI 2012/1715 (A / i) = <140 g/l

Nullifire SC801

= < 0.5 g/l

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
CAS: 108-78-1 EINECS: 203-615-4	melamine Repr. 2, H361f	5-<10%
Reg.nr.: 01-2119485947-16-xxxx		
CAS: 52-51-7 EINECS: 200-143-0	bronopol (INN) Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<0.1%
	(Contd	on page 3



Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

(Contd. of page 2)

· SVHC -

Additional information:

For the wording of the listed hazard phrases refer to section 16.

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

Regulation (EU) No 528/2012 Biocidal Products Regulation

CAS: 55965-84-9 CIT [EC 247-500-7]: MIT [EC 220-239-6] (3:1)

PT6

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

- · Information for doctor: No further relevant information available.
- · 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Suspected of damaging fertility.

- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)



Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

(Contd. of page 3)

#### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

#### 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Avoid contact with the eyes and skin.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Protect from heat and direct sunlight.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Storage temperature: +5°C to +35°C

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

· DNELs

**CAS: 108-78-1 melamine** 

Inhalative DNEL 8.3 mg/m3 (workers) (systemic effects)

(Contd. on page 5)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758 Smart P

Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

(Contd. of page 4)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Ensure good ventilation/exhaustion at the workplace.

Do not breathe spray.

Avoid contact with the eyes and skin.

Respiratory protection:



Wear respiratory protection.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Filter A/P2

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

PVC or PE gloves

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Body protection:



Protective work clothing



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758 Smart Protection

Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

(Contd. of page 5)

SECTION 9: Physical and ch	nemical properties	
· 9.1 Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Liquid	
Colour:	White	
· Odour:	Characteristic	
· pH-value:	8.0 - 9.5	
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	ange: 100 °C	
· Flash point:	Not applicable.	
· Explosive properties:	Product does not present an explosion hazard.	
· Vapour pressure at 20 °C:	2.4 hPa	
· Density at 20 °C:	1.38 g/cm³	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Solvent content:		
VOC (EU)	<0.5 g/l	
Solids content:	65-71 %	
· 9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Possible in traces.

Carbon monoxide and carbon dioxide

Nitrogen oxides

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758 Smart Protection

Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

(Contd. of page 6)

LD/LC50 values relevant for classification:

**CAS: 108-78-1 melamine** 

Oral LD50 3,161 mg/kg (rat)

CAS: 52-51-7 bronopol (INN)

Oral LD50 305 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Slight irritation possible.
- · Serious eye damage/irritation Slight irritation possible.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging fertility.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Do not allow product to reach sewage system or any water course.

(Contd. on page 8)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758 Smart Protection

Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

	(Conta. of page 7)
· Europea	n waste catalogue
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
HP10	Toxic for reproduction

- Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### **SECTION 14: Transport information**

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2020/878 of 18 June 2020.

"BPR" Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Regulation (EU) 2016/131 of 1 February 2016 approving C(M)IT/MIT (3:1) as an existing active substance for use in biocidal products for product-types 2, 4, 6, 11, 12 and 13.

HSE EH40/2005 Workplace Exposure Limits (as amended)

(Contd. on page 9)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758 Smart Protection

Printing date 01.07.2021 Version number 7 Revision: 01.07.2021

Trade name: Nullifire SC801

(Contd. of page 8)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) STATUTORY INSTRUMENTS 2012 No. 1715 ENVIRONMENTAL PROTECTION | The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012, and any subsequent amendments

#### · National regulations:

#### · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

#### Department issuing SDS:

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

\* Data compared to the previous version altered.