

Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Pyroplast[®] Wood P

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Fire protection system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Deutschland GmbH Kornwestheimer Str. 103-107 D-70439 Stuttgart
Telephone	:	+49 711 8009 0
E-mail address of person responsible for the SDS	:	EHS@de.sika.com

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49(0)6132-84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling:

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one, 2634-33-5, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 55965-84-9. Please use biocides responsibly.



Version 3.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
1,2-benzisothiazol-3(2H)-one 2634-33-5 220-120-9	Acute Tox.4; H302 Acute Tox.2; H330 Skin Irrit.2; H315 Eye Dam.1; H318 Skin Sens.1; H317 Aquatic Acute1; H400 Aquatic Chronic2; H411	>= 0,0025 - < 0,025
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) 55965-84-9	Acute Tox.3; H331 Acute Tox.2; H310 Acute Tox.3; H301 Skin Corr.1B; H314 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	< 0,0002

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	No hazards which require special first aid measures.		
If inhaled	: Move to fresh air.		
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.		
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	: See Section 11 for more detailed information on health effects and symptoms.		

	and symptoms.	
Risks	: No known significant effects or hazards.	
Country DE 10000002910		2 / 1



Version 3.0

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Barris I and the second firms	
Personal precautions	: For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on protection against	: Normal measures for preventive fire protection.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika® Pyroplast® Wood P



Revision Date 07.04.2017	Version 3.0	Print Date 07
fire and explosion		
Hygiene measures	: When using do not eat or drink. When usir	ıg do not smoke.
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry and place. Store in accordance with local regul	
Advice on common storage	: No special restrictions on storage with other	er products.
Storage class (TRGS 510)	: 10, Combustible liquids	
Other data	: No decomposition if stored and applied as	directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

	Personal protective equipment	nt	
	Eye protection	:	Safety glasses
	Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
			Butyl rubber/nitrile rubber gloves (0,4 mm), Recommended: Butyl rubber/nitrile rubber gloves.
	Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
	Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm
n	Intry DE 10000002910		4/1



Version 3.0

P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice : No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
Flash point	:	> 101 °C
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Lower explosion limit (Vol-%)	:	No data available
Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
рН	:	ca. 8 at 20 °C
Melting point/range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Vapour pressure	:	23 hPa
Density	:	ca.1,29 g/cm3

Country DE 10000002910

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] Pyroplast[®] Wood P



Revision Date 07.04.2017	Version 3.0	Print Date 07.04.2017
	at 20 °C	
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity, dynamic	: ca.2.000 mPa.s at 20 °C	
Viscosity, kinematic	: > 20,5 mm2/s at 40 °C	
Relative vapour density	: No data available	
Evaporation rate	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.



Version 3.0

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one :

```
Toxicity to daphnia and other : EC50: 3 mg/l, 48 h, Daphnia (water flea)
aquatic invertebrates
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-
isothiazol-3-one [EC no. 220-239-6] (3:1) :
```

M-Factor (Acute aquatic toxicity) M-Factor (Chronic aquatic toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or



Revision Date 07.04.2017	Version 3.0	Print Date 07.04.2017
	very persistent and very bioaccumulative 0.1% or higher	e (vPvB) at levels of
12.6 Other adverse effects		
Product:		
Additional ecological infor- mation	: There is no data available for this produc	ct.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	In accordance with the EWC Waste Regulation the classifica- tion of waste is to be assigned to the jurisdiction of the origin of waste. Therefore, it is not possible to assign a particular waste identification number. Completely emptied packagings may be given for recycling. Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor. Sika has agreed disposal contracts for all packaging which is brought into circulation in Germany.
	For further details see www.sika.de

SECTION 14: Transport information

ADR Not dangerous goods IATA Not dangerous goods IMDG Not dangerous goods

14.6 Special precautions for user No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

Prohibition/Restriction

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Banned and/or restricted (diisononyl phthalate)

Country DE 10000002910

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika® Pyroplast® Wood P



Revision Date 07.04.2017	Version 3.0	Print Date 07.04.20
preparations and articles (Annex	XVII)	
REACH - Candidate List of Subsi Concern for Authorisation (Article		ne components are listed).
REACH - List of substances subj (Annex XIV)	ect to authorisation : Not applic	able
REACH Information:	All substances contained in our Produ- - preregistered or registered by our up - preregistered or registered by us, ar - excluded from the regulation, and/ou - exempted from the registration.	pstream suppliers, and/or nd/or
Seveso III: Directive 2012/18/EU jor-accident hazards involving da	of the European Parliament and of the ngerous substances. Not applicable	Council on the control of ma-
(Germany)	WGK 1 slightly water endangering < 0,01 % no VOC duties	
VOC-EU (solvent) :	< 0,01 %	

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Full text of H-Statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Dam.	Serious eye damage

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] Pyroplast[®] Wood P



Revision Date 07.04.2017

Version 3.0

Skin Corr. Skin Irrit.	Skin corrosion Skin irritation
Skin Sens.	Skin sensitisation
ADR	Accord européen relatif au transport international des marchandises
ADR	Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
EBOO	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
2000	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !